

# Star Pendant

## ACOUSTIC FELT



|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SERIES                     | Star                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| MODEL                      | Pendant                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| EDITION                    | Acoustic Felt                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| LUMEN OUTPUT + CONSUMPTION | 28.8 W   Max 3022 lm<br>57.6 W   Max 6044 lm<br><i>Custom lumen output available for Remote fixtures only</i>                                                                                                                                                                                                                                                                                                                                 |
| POWER INPUT                | 110-277V AC   50/60 Hz                                                                                                                                                                                                                                                                                                                                                                                                                        |
| WEIGHT                     | < 3 lbs per foot   < 4.5 kg per metre                                                                                                                                                                                                                                                                                                                                                                                                         |
| OPTICS                     | Opal Diffuser                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| SUSPENSION                 | Adjustable up to specified length<br>Standard: 5 ft   152 cm                                                                                                                                                                                                                                                                                                                                                                                  |
| MANUFACTURED IN            | Toronto, ON, Canada                                                                                                                                                                                                                                                                                                                                                                                                                           |
| WARRANTY                   | 10 year life cycle support<br>5 year warranty on parts<br>Reclamation program available                                                                                                                                                                                                                                                                                                                                                       |
| CERTIFICATIONS             |      |

aaline's Star Pendant takes shape through repetition. Planar baffles encircle suspended lighting to achieve unique three-dimensional forms. This system unites engineered wood backed with 100% natural acoustic felt or a painted finish for curated colour combinations and elegant material synergy.

OPEN ONLINE PRODUCT CONFIGURATOR



PROJECT

LIGHT TYPE


QUANTITY

Product design at aaline is continuously refined to uphold the highest quality standards. We reserve the right to change specifications, contact us for the latest information. Final specifications and material selections will be confirmed at the shop drawing stage.


# Star Pendant

aaline  
architectural lighting + acoustics


## 05/06. PROFILE + SIZE




**S**  
**Linear**  
1'-10 1/4" Ø x  
1'-10 1/2" H




**S**  
**Round**  
1'-10 1/4" Ø x  
1'-10 1/2" H




**S**  
**Round Short**  
1'-10 1/4" Ø x  
7" H




**M**  
**Linear**  
2'-10 1/4" Ø x  
2'-10 1/2" H




**M**  
**Round**  
2'-10 1/4" Ø x  
2'-10 1/2" H




**M**  
**Round Short**  
2'-10 1/4" Ø x  
11-3/8" H




**L**  
**Linear**  
2'-10 1/4" Ø x  
2'-10 1/2" H




**L**  
**Round**  
2'-10 1/4" Ø x  
2'-10 1/2" H




**L**  
**Round Short**  
2'-10 1/4" Ø x  
11-3/8" H



## 07. DRIVER



**R**  
**Remote**  
Driver is in a remote location



**C**  
**Powered Canopy**  
Low voltage cable down to fixture  
from remote driver canopy mounted to  
junction box

## 10. COLOUR TEMP



**27**  
**2700K**  
Warm White  
90+ CRI



**30**  
**3000K**  
Soft White  
90+ CRI



**35**  
**3500K**  
Natural White  
90+ CRI



**40**  
**4000K**  
Cool White  
90+ CRI

# Star Pendant


## 11. WOOD SELECTION




Clear finish on EGW will have live edge visible



**EGW-CFST**  
Clear Finish Satin  
10 GU @ 60°



**EGW-CFDO +**  
Danish Oil  
<5 GU @ 60°




**EGW-CFEC**  
ECO Coat | Zero VOC  
<7 GU @ 60°

## 12. ACOUSTIC FELT




[Click here for the entire FELT collection](#)




**F163**  
Midnight




**F384**  
Charcoal



**F382**  
Pebble Grey



**F184**  
Aqua




**F311**  
Wool White




**F000 +**  
Custom Felt

## 13. CANOPY DIMENSIONS



**Remote Canopy**  
Driver is in a remote location



**Powered Canopy**  
Driver is in the same room as the fixture

## 14. CABLE COLOUR



**W •**  
**White**  
Integrated Systems  
High-voltage



**B**  
**Black**  
Integrated Systems  
High-voltage

## 16. MOUNTING



**PO**  
**Power Over Cable**  
Low voltage power  
over cable hardware



**JB**  
**Junction Box Support**  
Hanging cable at the  
centre of the junction box

## AALINE RECLAMATION PROGRAM



[Click here for more on Product Life Cycle](#)



### Right to Repair

aaline is committed to providing services and support at all stages of the design process, including reclamation and disposal. Please contact us and we will arrange to get the system to our factory so we can refurbish it for you or re-use parts and components that can be reclaimed. Our lighting and acoustic fixtures are made with 100% biodegradable or recyclable materials. The electrical components are RoHS certified and contain no hazardous elements and should be recycled at a specialized recycling facility.

# Star Pendant

## PRODUCT SPECIFICATION

- **PRODUCT STANDARD** | + **PRODUCT UPGRADE**

ST - PN - AC -

|    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|

| PARAMETER         | CODE                                           | DESCRIPTION                                                                                                                     | CONDITIONALS                                                                                               | NOTES                                                                                                   |
|-------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 01. SERIES        | ST                                             | Star                                                                                                                            |                                                                                                            |                                                                                                         |
| 02. MODEL         | PN                                             | Pendant                                                                                                                         |                                                                                                            |                                                                                                         |
| 03. EDITION       | AC                                             | Acoustic Felt                                                                                                                   |                                                                                                            |                                                                                                         |
| 04. LIGHT TYPE    | NON<br>LED                                     | None<br>Integrated LED                                                                                                          |                                                                                                            |                                                                                                         |
| 05. PROFILE       | LN<br>RD<br>RS                                 | Linear<br>Round<br>Round Short                                                                                                  |                                                                                                            |                                                                                                         |
| 06. SIZE          | S<br>M<br>L                                    | Small   2' Ø<br>Medium   3' Ø<br>Large   4' Ø                                                                                   |                                                                                                            | See product reference for dimensions; Custom upon request. Final dimensions confirmed in shop drawings. |
| 07. DRIVER        | R<br>C                                         | Remote<br>Powered Canopy                                                                                                        | Parameter for LED light type only                                                                          |                                                                                                         |
| 08. DIMMING       | 010 •<br>020                                   | 0-10V<br>TRIAC/ELV                                                                                                              | Parameter for LED light type only                                                                          | Reduced warranty, contact us for more info.                                                             |
| 09. POWER         | 28.8W<br>57.6W<br>XXXXLM                       | Max 3022 lm   Source LED lumens<br>Max 6044 lm   Source LED lumens<br>Custom lumen output                                       | Parameter for LED light type only<br>Available for LN and RD profiles only<br>Available for R drivers only |                                                                                                         |
| 10. COLOUR TEMP   | 27K<br>30K<br>35K<br>40K                       | 2700K   Warm White   90+ CRI<br>3000K   Soft White   90+ CRI<br>3500K   Natural White   90+ CRI<br>4000K   Cool White   90+ CRI | Parameter for LED light type only                                                                          |                                                                                                         |
| 11. WOOD          | EGW                                            | Engineered Wood                                                                                                                 |                                                                                                            | Clear finish on EGW will have live edge visible                                                         |
| 12. ACOUSTIC FELT | F163<br>F384<br>F382<br>F184<br>F311<br>F000 + | Midnight<br>Charcoal<br>Pebble Grey<br>Aqua<br>Wool White<br>Custom                                                             |                                                                                                            | Applied to sides of fins                                                                                |
| 13. CANOPY COLOUR | WH •<br>BK<br>XX +                             | White<br>Black<br>Custom                                                                                                        |                                                                                                            |                                                                                                         |
| 14. CABLE COLOUR  | W •<br>B                                       | White<br>Black                                                                                                                  |                                                                                                            |                                                                                                         |
| 15. CABLE LENGTH  |                                                | In Feet<br>5' standard •   6' and above +                                                                                       |                                                                                                            | On-site adjustable                                                                                      |
| 16. MOUNTING      | PO<br>JB                                       | Power Over Cable<br>Junction Box                                                                                                | For R drivers only<br>For C drivers only                                                                   |                                                                                                         |

## CUSTOM NOTES

\_\_\_\_\_